Western Heath - PPE Donning and Doffing Skills Assessment Tool Clinician Name: Date: Ward/Dept.: Employee No: Role: Assessor's Name: Assessor's Role:

Instructions

- The assessor will indicate whether the clinician is able to don and doff PPE safely against each of the key steps.
- Clinicians should be deemed safe with donning and doffing of PPE providing they do not contaminate themselves or the environment during the doffing process. If the clinician is not yet safe with their practice, the assessor should assist the clinician to become proficient in that key step by providing instruction and retesting real time.
- Clinicians must achieve safe proficiency in all key steps to have an assessment outcome of safe proficiency.
- If clinicians have facial hair (including a one to two-day beard growth) they must be made aware that an adequate seal cannot be guaranteed and advised they should not care for suspected or confirmed COVID-19 patients as unsafe.
- Alcohol based hand rubs (ABHRs) are the hand hygiene product of choice.

Sequence for	or Don	ning PPE (Obs =Observe) Tier Assessed 1 \square 2 \square 3 \square	Yes	s / No	Comments	
Hand	Obs	Removes jewellery – ensures bare below the elbow				
Hygiene		and removes spectacles if worn.				
	Obs	Performs hand hygiene.				
Gown	Obs	Puts on gown fully covering torso from neck to knee,				
	01	arms to end of wrist, and wraps around the back.	_	_		
Surgical Mask	Obs	Applies and fits surgical mask – metal band fitted				
(Droplet)		across the bridge of the nose and molded across cheek bones.				
(- /	Obs	Checks to see no space is visible between top of				
		mask and face.				
	Ask	How long does one wear a mask for? (4hrs, going on)				
		a break, if damp or harder to breathe through, after				
		showering a patient).				
P2/N95	Obs	Places the respirator on face right side up.				
Respirator		Places the headband at the crown of the head and				
mask		at the base of the neck.				
(including Fit		Moulds the respirator to ensure a seal across face,				
checking)		cheeks, and bridge of the nose.				
Model used:		Checks the positive pressure seal of the respirator The positive pressure seal of the respirator seal of				
Duckbill		by gently exhaling. If air escapes, the respirator needs is adjusted.				
3M		Checks the negative pressure seal of the respirator				
BYD		by gently inhaling. If the respirator is not drawn in				
D95+		towards the face, or air leaks around the face seal,				
(Detmold)		readjusts the respirator, including straps and				
Alpha Pro Tech		repeats process, and/or checks for defects in the				
recii		respirator.				
Maintains the fit of a P2/N95 Respirator Mask Yes / No						
Don'ts with	Obs	When do you change your mask?				
N95 mask	Ask	Can you leave the mask dangling around your neck?				
	Ask	(No).				
	Obs	Redoes fit check if mask moved during application of spectacles or eye protection.				

Do's with N95 mask	Ask	When do you perform a fit check? (each time applied or if mack readjusted)						
MSD IIIGSK	Ask	or if mask readjusted).When do you change the mask? (when it becomes						
		moist, hard to breathe through, after 4 hours, going						
		on a break, after showering a patient, after AGP)?						
	Obs	 Performs hand hygiene if touching or disposing of a used mask. 						
	Ask	Where do you remove the N95 mask? (when						
		outside the patient's room, in the corridor not in						
		anteroom or NP room).						
Gloves	Obs	Performs hand hygiene.						
Cioves	Obs	Pulls down cuff of gown.						
	Obs	Fits gloves and extends to cover over cuff of gown.						
Sequence for Removing PPE Gloves Obs Competent if the following is observed NB. The outside								
G.oves		of gloves is contaminated.						
		Grasps outside of glove with opposite gloved hand						
		near thumb; and peels off.						
		Holds removed glove in gloved hand.						
		Slides fingers of un-gloved hand under remaining						
		glove at wrist.						
		Peels glove off over first glove.						
		Discards gloves in clinical waste.						
		Performs hand hygiene.						
Gown	Obs	Competent if no self-contamination occurs. Gown front						
		and sleeves are contaminated.						
		Unfastens ties/Velcro (keeps arms away from face). Pulls accurately from a poly or should be a touching.						
		 Pulls gown away from neck or shoulders, touching inside of gown only. 						
		Turns gown inside out, folds or rolls slowly into a						
		bundle and discards into clinical waste container.						
		Performs hand hygiene.						
Protective	Obs	Competent if the following is observed. NB. The outside						
Eyewear		of goggles or face shield is contaminated.						
		Removes by handling the back of head band or side						
		arms of goggles.						
		Places reusable eyewear in designated receptacle for						
		cleaning or discards disposable eyewear into clinical waste.						
		 Cleans reusable eye protection and allows to dry. 						
		Performs hand hygiene.						
Mask or	Obs	Competent if the following is observed. NB. The front of						
Respirator		mask/respirator is contaminated.						
		Leans forward, removes mask by using tapes or ties						
		only.						
		Discards in clinical waste container.						
		Performs hand hygiene.						
Assessment Outcome								
Competent			Da	te:				
Retested			1	te:				
(if applicable)								

Escalation Pathway for 'not yet competent' with PPE Skills Assessment Tool

Signature:

1. Notify relevant Manager.

Assessor's Name:

- 2. Undertake/repeat We Learn Standard and Transmission Based Precautions eLearning module.
- 3. Undertake 1:1 PPE coaching session with Local PPE Champion.
- 4. Undertake reassessment with Gold Standard PPE Champion (Educator) or Infection Prevention.
- 5. If not yet competent refer to Infection Prevention and notify staff member's Manager.